

---

# **ESTUDIO DE SINTONIZACIÓN DE ESTABILIZADORES DE SISTEMAS DE POTENCIA (PSS)**

ANEXO A Informe Preliminar

---

GERENCIA DE OPERACIÓN

Febrero 2022



**Estudio de Sintonización de Estabilizadores de Sistemas de Potencia (PSS)**  
**Informe preparado por el Departamento de Estudios Eléctricos**

| Rev. | Fecha      | Comentario                  | Realizó                                                                       | Revisó / Aprobó |
|------|------------|-----------------------------|-------------------------------------------------------------------------------|-----------------|
| 1    | 02-02-2022 | Anexos A Informe Preliminar | Hernán Barra C.<br>Michelle Cajas R.<br>Carlos Prieto C<br>Gonzalo Sánchez M. | Víctor Velar    |
|      |            |                             |                                                                               |                 |

## Índice

|                                                                     |          |
|---------------------------------------------------------------------|----------|
| <b>14 ANEXO 1: MODOS CRÍTICOS.....</b>                              | <b>5</b> |
| 14.1 Escenario E1 DA día Ene2022 .....                              | 5        |
| 14.1.1 Red N .....                                                  | 5        |
| 14.1.2 Red N-1 Caso 1.- Changos Cumbres 500 kV.....                 | 13       |
| 14.1.3 Red N-1 Caso 2.- Nueva Pan de Azúcar - Polpaico 500kV.....   | 14       |
| 14.1.4 Red N-1 Caso 3.- Charrúa - Ancoa 500kV.....                  | 15       |
| 14.2 Escenario E2 DA día Dic2022 .....                              | 16       |
| 14.2.1 Red N .....                                                  | 16       |
| 14.2.2 Red N-1 Caso 1.- Changos – Cumbre 500kV .....                | 24       |
| 14.2.3 Red N-1 Caso 2:- Nueva Pan de Azúcar – Polpaico 500kV .....  | 26       |
| 14.2.4 Red N-1 Caso 3.- Charrúa – Ancoa 500kV.....                  | 28       |
| 14.3 Escenario E3 DA noche Dic2022 .....                            | 30       |
| 14.3.1 Red N .....                                                  | 30       |
| 14.3.2 Red N-1 Caso 1.- Changos Cumbres 500 kV.....                 | 41       |
| 14.3.3 Red N-1 Caso 2.- Nueva Pan de Azúcar - Polpaico 500 kV ..... | 42       |
| 14.3.4 Red N-1 Caso 3.- Charrúa - Ancoa 500 kV.....                 | 43       |
| 14.4 Escenario E4 DA noche Mar2022.....                             | 44       |
| 14.4.1 Red N .....                                                  | 44       |
| 14.4.2 Red N-1 Caso 1.- Changos Cumbres 500 kV.....                 | 56       |
| 14.4.3 Red N-1 Caso 2.- Nueva Pan de Azúcar - Polpaico 500 kV ..... | 59       |
| 14.4.4 Red N-1 Caso 3.- Entre Ríos - Ancoa 500 kV .....             | 62       |
| 14.5 Escenario E5 DB día Ene2022.....                               | 65       |
| 14.5.1 Red N .....                                                  | 65       |
| 14.5.2 Red N-1 Caso 1.- Changos Cumbres 500 kV.....                 | 72       |
| 14.5.3 Red N-1 Caso 2.- Nueva Pan de Azúcar - Polpaico 500 kV ..... | 73       |
| 14.5.4 Red N-1 Caso 3.- Charrúa - Ancoa 500 kV.....                 | 74       |
| 14.6 Escenario E6 DB noche Sep2022.....                             | 75       |
| 14.6.1 Red N .....                                                  | 75       |
| 14.6.2 Red N-1 Caso 1.- Changos Cumbres 500 kV.....                 | 86       |
| 14.6.3 Red N-1 Caso 2.- Nueva Pan de Azúcar - Polpaico 500 kV ..... | 88       |


|           |                                                  |           |
|-----------|--------------------------------------------------|-----------|
| 14.6.4    | Red N-1 Caso 3.- Entre Ríos - Ancoa 500 kV ..... | 90        |
| <b>15</b> | <b>ANEXO 3: MODOS INESTABLES PSS F/S .....</b>   | <b>92</b> |
| 15.1      | Escenario E4 DA noche Mar2022.....               | 92        |




## 14 ANEXO 1: MODOS CRÍTICOS

### 14.1 Escenario E1 DA día Ene2022

#### 14.1.1 Red N




Cluster 1:  
00-Norte Grande; GEO CERRO PABELLON U1; : 0.00 / 114.8 deg ;IPRE: 0.00 / 3.5 deg  
07-Sistema154 - 66 kV (Centro); HE CIPRE: 0.00 / 2.6 deg  
07-Sistema154 - 66 kV (Centro); HP CURIL: 0.00 / 1.7 deg  
07-Sistema154 - 66 kV (Centro); HE CIPRE: 0.00 / 1.5 deg




Observability of mode:  $-0.402 + j6.307$   
Magnitude: 6.320 1/s, Angle: 93.649 deg  
Period: 0.996 s, Frequency: 1.004 Hz  
Damping: 0.402 1/s

Cluster 3:  
07-Sistema154 - 66 kV (Centro); HP ISLA: 0.00 / -6.3 deg

Cluster 4:  
07-Sistema154 - 66 kV (Centro); HP ISLA: 0.00 / -14.2 deg




Participation of mode:  $-0.402 + j6.307$   
Magnitude: 6.320 1/s, Angle: 93.649 deg  
Period: 0.996 s, Frequency: 1.004 Hz  
Damping: 0.402 1/s, Ratio of Amplitudes: 1.523




Observability of mode:  $-0.357 + j13.964$   
Magnitude: 13.968 1/s, Angle: 91.466 deg  
Period: 0.450 s, Frequency: 2.222 Hz  
Damping: 0.357 1/s, Ratio of Amplitudes: 1.174

Cluster 1:  
00-Norte Grande; GEO CERRO PABELLON U1; : 0.00 / -161.1 deg U1; speed: 0.01 / -31.7 deg




Participation of mode:  $-0.357 + j13.964$   
Magnitude: 13.968 1/s, Angle: 91.466 deg  
Period: 0.450 s, Frequency: 2.222 Hz  
Damping: 0.357 1/s, Ratio of Amplitudes: 1.174

Cluster 1:  
10-Araucanía; HP CARILAFQUEN U1; speed: 0.01 / 86.9 deg  
10-Araucanía; HP CARILAFQUEN U2; speed: 0.01 / 85.6 deg  
10-Araucanía; HP MALALCAHUELLO U1; speed: 0.01 / 85.6 deg



Observability of mode:  $-0.655 + j9.784$   
Magnitude: 9.806 1/s, Angle: 93.832 deg  
Period: 0.642 s, Frequency: 1.557 Hz  
Damping: 0.655 1/s, Ratio of Amplitudes: 1.523


Cluster 2:  
10-Araucanía; HP MALALCAHUELLO U2; speed: 0.01 / 81.6 deg



Participation of mode:  $-0.402 + j6.307$   
Magnitude: 6.320 1/s, Angle: 93.649 deg  
Period: 0.996 s, Frequency: 1.004 Hz  
Damping: 0.402 1/s, Ratio of Amplitudes: 1.493


Cluster 1:  
07-Sistema154 - 66 kV (Centro); HP ISLA: 0.00 / 99.7 deg  
07-Sistema154 - 66 kV (Centro); HP ISLA: 0.00 / 100.6 deg

Cluster 2:  
07-Sistema154 - 66 kV (Centro); TER ENER: 0.00 / 156.1 deg  
IPRE: 0.00 / 79.0 deg  
IPRE: 0.01 / 78.6 deg



Observability of mode:  $-0.696 + j8.543$   
Magnitude: 8,571 1/s, Angle: 94,660 deg  
Period: 0.735 s, Frequency: 1,360 Hz  
Damping: 0,696 1/s, Ratio of Amplitudes: 1,669


Cluster 1:  
07-Sistema154 - 66 kV (Centro); HE CIPRE: 0.00 / 139.7 deg



Observability of mode:  $-0.765 + j8.107$   
Magnitude: 8,143 1/s, Angle: 95,388 deg  
Period: 0.775 s, Frequency: 1,290 Hz  
Damping: 0,765 1/s, Ratio of Amplitudes: 1,669


Cluster 3:  
07-Sistema154 - 66 kV (Centro); HE CIPRE: 0.00 / -15.5 deg

Cluster 2:  
Embalse Ancoea(1); HE ANCOA U1; speed: 0.00 / -147.0 deg  
HE CIPRE: 0.00 / -23.9 deg



Participation of mode:  $-0.742 + j11.148$   
Magnitude: 11,172 1/s, Angle: 93,810 deg  
Period: 0.564 s, Frequency: 1,774 Hz  
Damping: 0,742 1/s, Ratio of Amplitudes: 1,520


Cluster 1:  
03-Chilquinta-Aconcagua; HP LOS QUILOS U: 0.04 / 93.8 deg



Observability of mode:  $-0.742 + j11.148$   
Magnitude: 11,172 1/s, Angle: 93,810 deg  
Period: 0.564 s, Frequency: 1,774 Hz  
Damping: 0,742 1/s, Ratio of Amplitudes: 1,520


Cluster 2:  
03-Chilquinta-Aconcagua; HP LOS QUILOS U: 0.00 / -47.8 deg

Cluster 3:  
03-Chilquinta-Aconcagua; HP LOS QUILOS U: 0.01 / -67.2 deg




Participation of mode:  $-0.765 + j8.107$   
Magnitude: 8,143 1/s, Angle: 95,388 deg  
Period: 0.775 s, Frequency: 1,290 Hz  
Damping: 0,765 1/s, Ratio of Amplitudes: 1,809

Cluster 3:  
07-Sistema154 - 66 kV (Centro); HP CURIL: 0.00 / -146.3 deg  
IPRE: 0.01 / -89.5 deg




Participation of mode:  $-0.696 + j8.543$   
Magnitude: 8,571 1/s, Angle: 94,660 deg  
Period: 0.735 s, Frequency: 1,360 Hz  
Damping: 0,696 1/s, Ratio of Amplitudes: 1,669

Cluster 1:  
11-Araucanía 66 kV; HP PALMAR U1; speed: 0.02 / 21.4 deg  
11-Araucanía 66 kV; HP PALMAR U2; speed: 0.03 / 18.5 deg




Observability of mode:  $-0.778 + j9.049$   
Magnitude: 9.083 1/s, Angle: 94.915 deg  
Period: 0.694 s, Frequency: 1.440 Hz  
Damping: 0.778 1/s, Ratio of Amplitudes: 1.717

Cluster 1:  
11-Araucanía 66 kV; HE PILMAIQUEN U1; sp: 0.01 / 145.0 deg  
11-Araucanía 66 kV; HE PILMAIQUEN U3; sp: 0.01 / 145.1 deg  
11-Araucanía 66 kV; HE PILMAIQUEN U2; sp: 0.01 / 145.1 deg




Observability of mode:  $-0.835 + j10.221$   
Magnitude: 10.255 1/s, Angle: 94.669 deg  
Period: 0.615 s, Frequency: 1.627 Hz  
Damping: 0.835 1/s, Ratio of Amplitudes: 1.671

Cluster 1:  
04-Enel Distribución; HP QUELTHEUES U2; : 0.00 / 69.5 deg




Observability of mode:  $-0.803 + j8.624$   
Magnitude: 8.661 1/s, Angle: 95.322 deg  
Period: 0.729 s, Frequency: 1.373 Hz  
Damping: 0.803 1/s, Ratio of Amplitudes: 1.795

Cluster 2:  
11-Araucanía 66 kV; HE PILMAIQUEN U4; sp: 0.00 / -2.5 deg




Participation of mode:  $-0.803 + j8.624$   
Magnitude: 8.661 1/s, Angle: 95.322 deg  
Period: 0.729 s, Frequency: 1.373 Hz  
Damping: 0.803 1/s, Ratio of Amplitudes: 1.795



Participation of mode:  $-0.778 + j9.049$   
Magnitude: 9.083 1/s, Angle: 94.915 deg  
Period: 0.694 s, Frequency: 1.440 Hz  
Damping: 0.778 1/s, Ratio of Amplitudes: 1.717


Cluster 2:  
07-Sistema154 - 66 kV (Centro); TER ENER: 0.02 / -88.9 deg



Participation of mode:  $-0.835 + j10.221$   
Magnitude: 10.255 1/s, Angle: 94.669 deg  
Period: 0.615 s, Frequency: 1.627 Hz  
Damping: 0.835 1/s, Ratio of Amplitudes: 1.671


Cluster 1:  
03-Chilquinta-Aconcagua; HP LOS QUILOS U: 0.03 / 94.8 deg

Cluster 2:  
03-Chilquinta-Aconcagua; HP LOS QUILOS U: 0.01 / 111.4 deg




Observability of mode:  $-0.895 + 10.706j$   
Magnitude: 10.743 1/s, Angle: 94.780 deg  
Period: 0.587 s, Frequency: 1.704 Hz  
Damping: 0.895 1/s, Ratio of Amplitudes: 1.691

Cluster 3:  
03-Chilquinta-Aconcagua; HP LOS QUILOS U: 0.00 / -28.4 deg




Participation of mode:  $-0.895 + 10.706j$   
Magnitude: 10.743 1/s, Angle: 94.780 deg  
Period: 0.587 s, Frequency: 1.704 Hz  
Damping: 0.895 1/s, Ratio of Amplitudes: 1.691

Cluster 1:  
11-Araucania 66 kV; HE PILMAIQUEN U2; sp: 0.03 / 94.6 deg



Observability of mode:  $-0.851 + 10.489j$   
Magnitude: 10.523 1/s, Angle: 94.636 deg  
Period: 0.599 s, Frequency: 1.669 Hz  
Damping: 0.851 1/s, Ratio of Amplitudes: 1.664


Cluster 2:  
11-Araucania 66 kV; HE PILMAIQUEN U3; sp: 0.03 / -85.4 deg



Participation of mode:  $-0.851 + 10.489j$   
Magnitude: 10.523 1/s, Angle: 94.636 deg  
Period: 0.599 s, Frequency: 1.669 Hz  
Damping: 0.851 1/s, Ratio of Amplitudes: 1.664


Cluster 1:  
11-Araucania 66 kV; HE PILMAIQUEN U1; sp: 0.03 / 94.6 deg

Cluster 2:  
11-Araucania 66 kV; HE PILMAIQUEN U4; sp: 0.00 / 123.5 deg




Observability of mode:  $-0.851 + 10.488j$   
Magnitude: 10.522 1/s, Angle: 94.637 deg  
Period: 0.599 s, Frequency: 1.669 Hz  
Damping: 0.851 1/s, Ratio of Amplitudes: 1.665

Cluster 3:  
11-Araucania 66 kV; HE PILMAIQUEN U3; sp: 0.02 / -85.4 deg  
11-Araucania 66 kV; HE PILMAIQUEN U2; sp: 0.02 / -85.4 deg



Participation of mode:  $-0.851 + 10.488j$   
Magnitude: 10.522 1/s, Angle: 94.637 deg  
Period: 0.599 s, Frequency: 1.669 Hz  
Damping: 0.851 1/s, Ratio of Amplitudes: 1.665


Cluster 1:  
11-Araucanía 66 kV; HP PALMAR U2; speed: 0.03 / 111.1 deg



Observability of mode:  $-0.973 + 9.792j$   
Magnitude: 9.840 1/s, Angle: 95.677 deg  
Period: 0.642 s, Frequency: 1.558 Hz  
Damping: 0.973 1/s

Cluster 3:  
11-Araucanía 66 kV; HE PILMAIQUEN U4; sp: 0.00 / -52.3 deg


Cluster 3:  
08-Charrúa; HP PALMUCHO U1; speed: 0.00 / 58.0 deg



Observability of mode:  $-0.977 + 12.194j$   
Magnitude: 12.233 1/s, Angle: 94.579 deg  
Period: 0.515 s, Frequency: 1.941 Hz  
Damping: 0.977 1/s


Cluster 1:  
07-Sistema154 - 66 kV (Centro); TER LICA: 0.00 / -152.4 deg

Cluster 2:  
10-Araucanía; HE CANUTILLAR U1; speed: 0.00 / 21.2 deg




Observability of mode:  $-0.905 + 11.267j$   
Magnitude: 11.303 1/s, Angle: 94.595 deg  
Period: 0.558 s, Frequency: 1.793 Hz  
Damping: 0.905 1/s, Ratio of Amplitudes: 1.657

Cluster 2:  
10-Araucanía; HP CARILAFQUEN U1; speed: 0.00 / -167.0 deg J1; speed: 0.03 / -72.9 deg




Participation of mode:  $-0.977 + 12.194j$   
Magnitude: 12.233 1/s, Angle: 94.579 deg  
Period: 0.515 s, Frequency: 1.941 Hz  
Damping: 0.977 1/s, Ratio of Amplitudes: 1.654

Cluster 2:  
06-Troncal\_Qui-Cha; HP LOS HIERROS U1; s: 0.00 / -144.1 deg A GORDA E: 0.00 / -50.9 deg




Participation of mode:  $-0.905 + 11.267j$   
Magnitude: 11.303 1/s, Angle: 94.595 deg  
Period: 0.558 s, Frequency: 1.793 Hz  
Damping: 0.905 1/s, Ratio of Amplitudes: 1.657

Cluster 1:  
10-Araucanía; HE CANUTILLAR U2; speed: 0.00 / -158.7 deg




Participation of mode:  $-0.973 + 9.792j$   
Magnitude: 9.840 1/s, Angle: 95.677 deg  
Period: 0.642 s, Frequency: 1.558 Hz  
Damping: 0.973 1/s, Ratio of Amplitudes: 1.867


Cluster 1:  
07-Sistema154 - 66 kV (Centro); HE CONVE: 0.05 / 94.3 deg



Observability of mode:  $-1.036 +10.620j$   
Magnitude: 10.670 1/s, Angle: 95.571 deg  
Period: 0.592 s, Frequency: 1.690 Hz  
Damping: 1.036 1/s, Ratio of Amplitudes: 1.846




Observability of mode:  $-1.200 +15.886j$   
Magnitude: 15.931 1/s, Angle: 94.321 deg  
Period: 0.396 s, Frequency: 2.528 Hz  
Damping: 1.200 1/s, Ratio of Amplitudes: 1.608




Observability of mode:  $-1.158 +14.343j$   
Magnitude: 14.390 1/s, Angle: 94.618 deg  
Period: 0.438 s, Frequency: 2.283 Hz  
Damping: 1.158 1/s, Ratio of Amplitudes: 1.661

Cluster 2:  
Cluster 1:  
04-Enel Distribución; HP PUNTILLA U3; sp: 0.01 / -91.8 deg  
I1; sp: 0.01 / -57.4 deg  
I2; sp: 0.01 / -59.1 deg



Participation of mode:  $-1.036 +10.620j$   
Magnitude: 10.670 1/s, Angle: 95.571 deg  
Period: 0.592 s, Frequency: 1.690 Hz  
Damping: 1.036 1/s, Ratio of Amplitudes: 1.846


Cluster 2:  
07-Sistema154 - 66 kV (Centro); HE CONVE: 0.03 / -74.5 deg







Participation of mode:  $-1.200 +15.886j$   
Magnitude: 15.931 1/s, Angle: 94.321 deg  
Period: 0.396 s, Frequency: 2.528 Hz  
Damping: 1.200 1/s, Ratio of Amplitudes: 1.608

Cluster 1:  
07-Sistema154 - 66 kV (Centro); HE CONVE: 0.04 / -170.5 deg

Cluster 2:  
07-Sistema154 - 66 kV (Centro); HE CONVE: 0.02 / -158.6 deg




Participation of mode:  $-1.158 +14.343j$   
Magnitude: 14.390 1/s, Angle: 94.618 deg  
Period: 0.438 s, Frequency: 2.283 Hz  
Damping: 1.158 1/s, Ratio of Amplitudes: 1.661







## 14.1.2 Red N-1 Caso 1.- Changos Cumbres 500 kV



### 14.1.3 Red N-1 Caso 2.- Nueva Pan de Azúcar - Polpaico 500kV



### 14.1.4 Red N-1 Caso 3.- Charrúa - Ancoa 500kV



Coordinador Eléctrico Nacional


F3 CHA ANC Mode 741-743


Date: 20-01-2022


Annex:


## 14.2 Escenario E2 DA día Dic2022

### 14.2.1 Red N










Coordinador Eléctrico Nacional


03.- A Modos 1247-1249-1407

Date: 07/01/2022


Annex: /63

















## 14.2.2 Red N-1 Caso 1.- Cambios – Cumbre 500kV






### 14.2.3 Red N-1 Caso 2:- Nueva Pan de Azúcar – Polpaico 500kV





## 14.2.4 Red N-1 Caso 3.- Charrúa – Ancoa 500kV






Coordinador Eléctrico Nacional

13.-RedN-1ChaAnc A0 01-03 A 1129

Date: 07/01/2022


Annex:






## 14.3 Escenario E3 DA noche Dic2022

### 14.3.1 Red N




Cluster 1:  
04-Enel Distribución; HP PUNTILLA U1; sp: 0.00 / 107.8 deg  
04-Enel Distribución; HP PUNTILLA U2; sp: 0.00 / 108.4 deg




Observability of mode:  $-0.438 -0.797j$   
Magnitude: 0.909 1/s, Angle:  $-118.807$  deg  
Period: 7.885 s, Frequency: 0.127 Hz  
Damping: 0.438 1/s, Ratio of Amplitudes: 31.663

Cluster 2:  
04-Enel Distribución; HP VOLCAN U1; spee: 0.00 /  $-101.3$  deg




Participation of mode:  $-0.438 -0.797j$   
Magnitude: 0.909 1/s, Angle:  $-118.807$  deg  
Period: 7.885 s, Frequency: 0.127 Hz  
Damping: 0.438 1/s, Ratio of Amplitudes: 31.663

Cluster 1:  
02-Coquimbo; HP LOS MOLLES U1; speed: 0.01 /  $87.0$  deg




Observability of mode:  $-0.568 -13.552j$   
Magnitude: 13.564 1/s, Angle:  $-92.400$  deg  
Period: 0.464 s, Frequency: 2.157 Hz  
Damping: 0.568 1/s, Ratio of Amplitudes: 1.301




Participation of mode:  $-0.568 -13.552j$   
Magnitude: 13.564 1/s, Angle:  $-92.400$  deg  
Period: 0.464 s, Frequency: 2.157 Hz  
Damping: 0.568 1/s, Ratio of Amplitudes: 1.301

Cluster 1:  
07-Sistema154 - 66 kV (Centro); HP SAN I: 0.02 /  $99.5$  deg




Observability of mode:  $-0.620 +8.887j$   
Magnitude: 8.909 1/s, Angle:  $93.994$  deg  
Period: 0.707 s, Frequency: 1.414 Hz  
Damping: 0.620 1/s, Ratio of Amplitudes: 1.551




Participation of mode:  $-0.620 +8.887j$   
Magnitude: 8.909 1/s, Angle:  $93.994$  deg  
Period: 0.707 s, Frequency: 1.414 Hz  
Damping: 0.620 1/s, Ratio of Amplitudes: 1.551

Cluster 1:  
01-Atacama; TER GUACOLDA U3; speed: 0.00 / 111.0 deg




Observability of mode:  $-0.623 + 0.788j$   
Magnitude: 1,005 1/s, Angle: 128,353 deg  
Period: 7,975 s, Frequency: 0,125 Hz  
Damping: 0,623 1/s, Ratio of Amplitudes: 144,251

Cluster 2:  
01-Atacama; TER GUACOLDA U5; speed: 0.00 / -60.4 deg




Participation of mode:  $-0.640 + 9.774j$   
Magnitude: 9,795 1/s, Angle: 93,744 deg  
Period: 0,643 s, Frequency: 1,556 Hz  
Damping: 0,640 1/s, Ratio of Amplitudes: 1,509

Cluster 1:  
10-Araucanía; HP CARILAFQUEN U1; speed: 0.01 / 80.5 deg




Observability of mode:  $-0.640 + 9.774j$   
Magnitude: 9,795 1/s, Angle: 93,744 deg  
Period: 0,643 s, Frequency: 1,556 Hz  
Damping: 0,640 1/s, Ratio of Amplitudes: 1,509




Participation of mode:  $-0.640 + 9.774j$   
Magnitude: 9,795 1/s, Angle: 93,744 deg  
Period: 0,643 s, Frequency: 1,556 Hz  
Damping: 0,640 1/s, Ratio of Amplitudes: 1,509

Cluster 1:  
03-Chilquinta-Aconcagua; HP JUNCAL U1; s: 0.00 / 35.2 deg



Observability of mode:  $-0.682 + 9.005j$   
Magnitude: 9,031 1/s, Angle: 94,329 deg  
Period: 0,698 s, Frequency: 1,433 Hz  
Damping: 0,682 1/s, Ratio of Amplitudes: 1,609

Cluster 2:  
03-Chilquinta-Aconcagua; HP LOS QUILOS U: 0.00 / -54.5 deg




Participation of mode:  $-0.620 + 8.887j$   
Magnitude: 8,909 1/s, Angle: 93,994 deg  
Period: 0,707 s, Frequency: 1,414 Hz  
Damping: 0,620 1/s, Ratio of Amplitudes: 1,551

Coordinador Eléctrico Nacional


03.- Diagrama modos A 1014-1025-1040

Date: 11-01-2022


Annex: /61




Observability of mode:  $-0.828 - 7.982j$   
Magnitude: 8.025 1/s, Angle: -95.919 deg  
Period: 0.787 s, Frequency: 1,270 Hz  
Damping: 0.828 1/s, Ratio of Amplitudes: 1.918




Participation of mode:  $-0.828 - 7.982j$   
Magnitude: 8.025 1/s, Angle: -95.919 deg  
Period: 0.787 s, Frequency: 1,270 Hz  
Damping: 0.828 1/s, Ratio of Amplitudes: 1.918




Observability of mode:  $-0.835 + 0.000j$   
Magnitude: 0.835 1/s, Angle: 180.000 deg  
Period: nan s, Frequency: 0.000 Hz  
Damping: 0.835 1/s, Ratio of Amplitudes: nan




Participation of mode:  $-0.835 + 0.000j$   
Magnitude: 0.835 1/s, Angle: 180.000 deg  
Period: nan s, Frequency: 0.000 Hz  
Damping: 0.835 1/s, Ratio of Amplitudes: nan



Observability of mode:  $-0.863 - 9.384j$   
Magnitude: 9.424 1/s, Angle: -95.253 deg  
Period: 0.670 s, Frequency: 1.494 Hz  
Damping: 0.863 1/s, Ratio of Amplitudes: 1.782




Participation of mode:  $-0.863 - 9.384j$   
Magnitude: 9.424 1/s, Angle: -95.253 deg  
Period: 0.670 s, Frequency: 1.494 Hz  
Damping: 0.863 1/s, Ratio of Amplitudes: 1.782




Observability of mode:  $-0.926 + 0.435j$   
Magnitude: 1.023 1/s, Angle: 154.811 deg  
Period: 14.433 s, Frequency: 0.069 Hz  
Damping: 0.926 1/s, Ratio of Amplitudes: 633372.979

Cluster 2:  
07-Sistema154 - 66 kV (Centro); HP ISLA : 0.00 / -21.7 deg




Participation of mode:  $-0.926 + 0.435j$   
Magnitude: 1.023 1/s, Angle: 154.811 deg  
Period: 14.433 s, Frequency: 0.069 Hz  
Damping: 0.926 1/s, Ratio of Amplitudes: 633372.979




Cluster 2:  
11-Araucanía 66 kV; HE PILMAIQUEN U4; sp: 0.00 / -54.1 deg

Cluster 3:  
11-Araucanía 66 kV; HE PILMAIQUEN U5; sp: 0.00 / -67.1 deg

Cluster 4:  
11-Araucanía 66 kV; HE PILMAIQUEN U2; sp: 0.02 / -85.2 deg  
11-Araucanía 66 kV; HE PILMAIQUEN U3; sp: 0.02 / -85.2 deg




Participation of mode:  $-0.934 + 10.962j$   
Magnitude: 11.001 1/s, Angle: 94.870 deg  
Period: 0.573 s, Frequency: 1.745 Hz  
Damping: 0.934 1/s, Ratio of Amplitudes: 1.708




Observability of mode: -0.939 +0.800j  
Magnitude: 1,233 1/s, Angle: 139.573 deg

Cluster 1:  
07-Sistema154 - 66 kV (Centro); HP ISLA : 0.00 / -170.7 deg es: 1596,644




Participation of mode: -0.939 +0.800j  
Magnitude: 1,233 1/s, Angle: 139.573 deg  
Period: 7.856 s, Frequency: 0.127 Hz  
Damping: 0.939 1/s, Ratio of Amplitudes: 1596,644




Cluster 2:  
RioColorado; HP RIO COLORADO U1; speed: 0.00 / -69.2 deg

Cluster 3:  
08-Charrúa; TER SANTA FE U1; speed: 0.00 / -82.3 deg




Participation of mode: -0.994 +0.299j  
Magnitude: 1,038 1/s, Angle: 163.280 deg  
Period: 21.035 s, Frequency: 0.048 Hz  
Damping: 0.994 1/s, Ratio of Amplitudes: inf




Observability of mode: -1,168 +0,000j  
Magnitude: 1,168 1/s, Angle: 180,000 deg  
Period: nan s, Frequency: 0,000 Hz  
Damping: 1,168 1/s, Ratio of Amplitudes: nan



Participation of mode: -1,168 +0,000j  
Magnitude: 1,168 1/s, Angle: 180,000 deg  
Period: nan s, Frequency: 0,000 Hz  
Damping: 1,168 1/s, Ratio of Amplitudes: nan







Cluster 1:  
RioColorado; HP RIO COLORADO U1; speed: 0.00 / -174.7 deg  
Cluster 2:  
S/E EL ARRIERO 220 kV; PE SIERRA GORDA E; speed: 0.00 / -99.0 deg




Participation of mode: -1,367 +7,116j  
Magnitude: 7,246 1/s, Angle: 100,874 deg  
Period: 0,883 s, Frequency: 1,133 Hz  
Damping: 1,367 1/s, Ratio of Amplitudes: 3,343












Participation of mode: -0.605 +9.780°j  
Magnitude: 9.799 1/s, Angle: 93.541 deg  
Period: 0.642 s, Frequency: 1.557 Hz  
Damping: 0.605 1/s, Ratio of Amplitudes: 1.475






Participation of mode: -0.712 +11.111°j  
Magnitude: 11.134 1/s, Angle: 93.666 deg  
Period: 0.565 s, Frequency: 1.768 Hz  
Damping: 0.712 1/s, Ratio of Amplitudes: 1.496




Participation of mode: -0.674 +11.099°j  
Magnitude: 11.119 1/s, Angle: 93.474 deg  
Period: 0.566 s, Frequency: 1.766 Hz  
Damping: 0.674 1/s, Ratio of Amplitudes: 1.464







### 14.3.2 Red N-1 Caso 1.- Changos Cumbres 500 kV



### 14.3.3 Red N-1 Caso 2.- Nueva Pan de Azúcar - Polpaico 500 kV




### 14.3.4 Red N-1 Caso 3.- Charrúa - Ancoa 500 kV





## 14.4 Escenario E4 DA noche Mar2022


### 14.4.1 Red N




































## 14.4.2 Red N-1 Caso 1.- Changos Cumbres 500 kV





Coordinador Eléctrico Nacional

14-RedN-1 01ChaCum A 442-696-445


Date: 10/01/2022


Annex: /69






### 14.4.3 Red N-1 Caso 2.- Nueva Pan de Azúcar - Polpaico 500 kV












#### 14.4.4 Red N-1 Caso 3.- Entre Ríos - Ancoa 500 kV









## 14.5 Escenario E5 DB día Ene2022


### 14.5.1 Red N






Observability of mode:  $-0.663 +9.876j$   
Magnitude: 9,898 1/s, Angle: 93,639 deg  
Period: 0,636 s, Frequency: 1,572 Hz  
Damping: 0,663 1/s, Ratio of Amplitudes: 1,524


Cluster 1:  
11-S66; HE PILMAIQUEN U1; speed: 0.00 / -102.5 deg  
E SIERRA GORDA E: 0.00 / -55.4 deg




Participation of mode:  $-0.663 +9.876j$   
Magnitude: 9,898 1/s, Angle: 93,639 deg  
Period: 0,636 s, Frequency: 1,572 Hz  
Damping: 0,663 1/s, Ratio of Amplitudes: 1,524




Observability of mode:  $-0.811 +11.548j$   
Magnitude: 11,577 1/s, Angle: 94,019 deg  
Period: 0,544 s, Frequency: 1,836 Hz  
Damping: 0,811 1/s, Ratio of Amplitudes: 1,555




Participation of mode:  $-0.811 +11.548j$   
Magnitude: 11,577 1/s, Angle: 94,019 deg  
Period: 0,544 s, Frequency: 1,836 Hz  
Damping: 0,811 1/s, Ratio of Amplitudes: 1,555



Observability of mode:  $-0.886 +9.517j$   
Magnitude: 9,558 1/s, Angle: 95,318 deg  
Period: 0,660 s, Frequency: 1,515 Hz  
Damping: 0,886 1/s, Ratio of Amplitudes: 1,795




Participation of mode:  $-0.886 +9.517j$   
Magnitude: 9,558 1/s, Angle: 95,318 deg  
Period: 0,660 s, Frequency: 1,515 Hz  
Damping: 0,886 1/s, Ratio of Amplitudes: 1,795




Observability of mode:  $-0.725 + 8.914j$   
Magnitude: 8,943 1/s, Angle: 94,650 deg  
Period: 0,705 s, Frequency: 1,419 Hz  
Damping: 0,725 1/s, Ratio of Amplitudes: 1,667

Cluster 3:  
07-154; TER ENERGIA PACIFICO U1; speed: 0.00 / -122.9 deg




Participation of mode:  $-0.725 + 8.914j$   
Magnitude: 8,943 1/s, Angle: 94,650 deg  
Period: 0,705 s, Frequency: 1,419 Hz  
Damping: 0,725 1/s, Ratio of Amplitudes: 1,667




Observability of mode:  $-0.865 + 10.119j$   
Magnitude: 10,156 1/s, Angle: 94,885 deg  
Period: 0,621 s, Frequency: 1,610 Hz  
Damping: 0,865 1/s, Ratio of Amplitudes: 1,711

Cluster 3:  
11-S66; HE PILMAIQUEN U2; speed: 0.02 / -85.1 deg  
11-S66; HE PILMAIQUEN U3; speed: 0.02 / -85.1 deg




Participation of mode:  $-0.865 + 10.119j$   
Magnitude: 10,156 1/s, Angle: 94,885 deg  
Period: 0,621 s, Frequency: 1,610 Hz  
Damping: 0,865 1/s, Ratio of Amplitudes: 1,711




Observability of mode:  $-0.865 + 10.119j$   
Magnitude: 10,156 1/s, Angle: 94,885 deg  
Period: 0,621 s, Frequency: 1,610 Hz  
Damping: 0,865 1/s, Ratio of Amplitudes: 1,711


Cluster 1:  
11-S66; HE PILMAIQUEN U2; speed: 0.02 / -85.1 deg  
11-S66; HE PILMAIQUEN U3; speed: 0.02 / -85.1 deg



Participation of mode:  $-0.865 + 10.119j$   
Magnitude: 10,156 1/s, Angle: 94,885 deg  
Period: 0,621 s, Frequency: 1,610 Hz  
Damping: 0,865 1/s, Ratio of Amplitudes: 1,711









Cluster 1:  
07-154; HE CONVENTO VIEJO U1; speed: 0.04 / 113.9 deg


Cluster 2:  
07-154; HE CONVENTO VIEJO U2; speed: 0.01 / 132.0 deg

Cluster 4:  
04-RM; HP FLORIDA U3; speed: 0.00 / -56.5 deg




Observability of mode:  $-1.335 + 13.834j$   
Magnitude: 13,898 1/s, Angle: 95.513 deg  
Period: 0.454 s, Frequency: 2.202 Hz  
Damping: 1.335 1/s, Ratio of Amplitudes: 1.834







## 14.5.2 Red N-1 Caso 1.- Changos Cumbres 500 kV



### 14.5.3 Red N-1 Caso 2.- Nueva Pan de Azúcar - Polpaico 500 kV





## 14.5.4 Red N-1 Caso 3.- Charrúa - Ancoa 500 kV




## 14.6 Escenario E6 DB noche Sep2022


### 14.6.1 Red N






















Cluster 1:  
S/E CH PICOIQUEN; HP RIO PICOIQUEN (U1-U: 0.00 / 120.8 deg)








Observability of mode:  $-1.393 + 18.609j$   
Magnitude: 18.661 1/s, Angle: 94.280 deg  
Period: 0.338 s, Frequency: 2.962 Hz  
Damping: 1.393 1/s, Ratio of Amplitudes: 1.600

Cluster 2:  
08-Ch; HP RENAICO U1; speed: 0.00 / 89.9 deg






Participation of mode:  $-1.393 + 18.609j$   
Magnitude: 18.661 1/s, Angle: 94.280 deg  
Period: 0.338 s, Frequency: 2.962 Hz  
Damping: 1.393 1/s, Ratio of Amplitudes: 1.600  
Min. contribution: 0.100













## 14.6.2 Red N-1 Caso 1.- Changos Cumbres 500 kV






### 14.6.3 Red N-1 Caso 2.- Nueva Pan de Azúcar - Polpaico 500 kV





### 14.6.4 Red N-1 Caso 3.- Entre Ríos - Ancoa 500 kV




Coordinador Eléctrico Nacional

18.-Modos A\_RedN-1\_ChaAn\_682 - 884 - 751

Date: 11-01-2022

Annex: /73



## 15 ANEXO 3: MODOS INESTABLES PSS F/S

### 15.1 Escenario E4 DA noche Mar2022

